

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/770,619	/770,619 02/02/2004		Yoshinori Tsubaki	04072/HG	2307
1933	7590	03/06/2006		EXAMINER	
	•	Z, GOODMAN &	SCHWARTZ, PAMELA R		
220 Fifth Av 16TH Floor	enue		٠.	ART UNIT	PAPER NUMBER
NEW YORK	NEW YORK, NY 10001-7708			1774	
				DATE MAILED: 03/06/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		<i>'</i>					
	Application No.	Applicant(s)					
Office Action Summany	10/770,619	TSUBAKI ET AL.					
Office Action Summary	Examiner	Art Unit					
	Pamela R. Schwartz	1774					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
 1) ⊠ Responsive to communication(s) filed on 14 Ju 2a) ☐ This action is FINAL. 2b) ⊠ This 3) ☐ Since this application is in condition for allower 	action is non-final.	esecution as to the merits is					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.					
Disposition of Claims		•					
 4) Claim(s) 1-19 and 21 is/are pending in the app 4a) Of the above claim(s) 17-19 is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-16 and 21 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-19 and 21 are subject to restriction 	n from consideration.	1					
Application Papers							
9) The specification is objected to by the Examine							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct							
11) The oath or declaration is objected to by the Ex							
Priority under 35 U.S.C. § 119							
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage					
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:						
S Palent and Trademark Office							

Art Unit: 1774

1. Claims 1-5, 8, 9, 11, 12, 14,15 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Held et al. (5,537,137) in view of Liu et al. (US 2003/0099816) for reasons of record and for reasons given below. With respect to new claims 19 and 20, Held et al. disclose ratios of filler to polymer of 7:1 to 0.1:1. These ratios overlap with those of the instant claims

Page 2

- 2. Claims 6, 7, 10, 13 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Held et al. (5,537,137) in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281) for reasons of record and for reasons given below.
- 3. Claims 1-5, 8, 9, 11, 12, 14, 15 and 21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 of copending Application No. 10/886,433 in view of Liu et al. (US 2003/0099816). The copending application recites in its claims an ink jet recording sheet having a layer comprising a hydrophilic binder and an inorganic pigment that is gas-phase silica. The binder is recited as cross-linked with ionizing radiation. The claims of the application are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs. Claim 5 of the copending application recites that the support is non water-absorptive.

Liu et al. is relied upon as in paragraph 2 above for the particulars of the silica which have not been set forth by the claims of the copending application.

Art Unit: 1774

This is a <u>provisional</u> obviousness-type double patenting rejection.

4. Claims 6, 7, 10, 13 and 16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 of copending Application No. 10/886,433 in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The copending application recites in its claims an ink jet recording sheet having a layer comprising a hydrophilic binder and an inorganic pigment that is gas-phase silica. The binder is recited as cross-linked with ionizing radiation. The claims of the application are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs. Claim 5 of the copending application recites that the support is non water-absorptive.

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary

Art Unit: 1774

particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

5. Claims 1-5, 8, 9, 11, 12, 14, 15 and 21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims of copending Application Nos. 10/643,394, 10/833,842, 10/855,525 and 10/823340 each taken in view of Liu et al. (US 2003/0099816). The copending applications recite an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. The claims of the applications are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs.

With respect to 10/643,394, see claim 1 and the description of this embodiment at [0050-0052], 10/833,842, see claims 1-3, 10/855,525, see the claims and the description of the claimed embodiment at [0040,0049] and 10/823,340, see claims 1 and 2 and the description of the claimed embodiment at [0084]. It would have been obvious to one of ordinary skill in the art to determine the percentage of side chains on the hydrophilic polymer in order to control the degree of cross-linking that occurs at

these sites. In each case a non-water absorptive support is either claimed or described in the specification concerning the claimed embodiment of the invention.

In each case, the particles are disclosed to be silica. Liu et al. is relied upon as in paragraph 2 above for the particulars of the silica which have not been set forth by the claims of the copending application.

This is a <u>provisional</u> obviousness-type double patenting rejection.

6. Claims 6, 7, 10, 13 and 16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over the claims of copending Application Nos. 10/643,394, 10/833,842, 10/855,525 and 10/823340 each taken in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The copending applications recite an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. The claims of the applications are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs. With respect to 10/643,394, see claim 1 and the description of this embodiment at [0050-0052], 10/833,842, see claims 1-3, 10/855,525, see the claims and the description of the claimed embodiment at [0040,0049] and 10/823,340, see claims 1 and 2 and the description of the claimed embodiment at [0084].

Art Unit: 1774

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

Page 6

7. Claims 1-5, 8, 9, 11, 12, 14, 15 and 21 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-19 of copending Application No. 11/186,692 taken in view of Liu et al. (US 2003/0099816). The copending application recites an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. When reading the claims in light of the specification, they are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in

the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs.

In each case, the particles are disclosed to be silica. Liu et al. is relied upon as in paragraph 2 above for the particulars of the silica which have not been set forth by the claims of the copending application.

This is a provisional obviousness-type double patenting rejection.

8. Claims 6, 7, 10, 13 and 16 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-19 of copending Application No. 11/186,692 taken in view of either patent to Kobayashi et al. (6,761,941 or 5,612,281).

The copending application recites an ink jet recording sheet having a layer comprising a hydrophilic binder and inorganic microparticles. The binder is recited as cross-linked with ionizing radiation. When read in light of the specification, the claims of the applications are directed to the same kinds of binder polymers with the same or overlapping polymerization degree and a plurality of side chains that are cross-linked to the main chain by UV radiation. It would have been obvious to one of ordinary skill in the art to control the ratio of side chains to the main chain in order to control the amount of cross-linking that occurs.

The Kobayashi et al. references each disclose gas-phase silica for inclusion in ink jet recording layers. They do not specifically disclose a ratio of isolated silanol groups but they teach the number of silanol groups/nm² (see col. 6, lines 27-52 of '281 or col. 8, lines 25-52 of '941). These references teach that silica with low surface silanol

Art Unit: 1774

density results in a highly porous structure. Based upon these teachings, it would have been obvious to one of ordinary skill in the art to select a gas-phase silica with low surface silanol density as the silica of the primary reference in order to form a layer of high void volume. With respect to particles size, '941 specifically sets forth the primary particle size at col. 8, line 65 to col. 9, line 6. '281 teaches the size of the secondary particles at col. 6, lines 53-67. From this disclosure, it would have been obvious to one of ordinary skill in the art that the primary particles had to be very small, on the order of a few nanometers, and in a range overlapping with that instantly claimed.

Applicant's arguments filed December 22, 2005 have been fully considered but they are not persuasive. Once the binder of Held et al. is cross-linked, the medium of the reference meets all of the claim limitations about which applicants argue. The ratio of pigment to cross-linked binder is in the instantly recited range (col. 10, lines 10-21 of the reference). Applicants do not claim the polymerization degree of their polymer after cross-linking and prior to polymerization, the range of the reference, i.e. 400 to 3000, falls within the claimed range. Claims 8-10 say that the polymer "is cross-linked by exposing ionizing radiation to a hydrophilic polymer of a degree of polymerization of at least 500" (emphasis added) so this polymerization degree is of the polymer prior to cross-linking. The ratio of filler to polymer compound is taught by the reference because the ranges of ratio of filler to polymer overlap with the range in the instant claims. Applicants' position appears to be that this ratio of filler to polymer is irrelevant because it is prior to cross-linking. The examiner disagrees because the weight ratio of these components will not be significantly altered by cross-linking of the polymer and

Art Unit: 1774

there is nothing in the instant claims that prevents them from reading on an imaged and cross-linked medium. Finally, one of ordinary skill in this art would expect significant differences when comparing a cross-linked polymer with one that has not been cross-linked. Consequently, applicants' results are not unexpected.

Page 9

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pamela Schwartz whose telephone number is (571) 272-1528.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye, can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRSchwartz February 28, 2006